

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>7</sup> :</b> <b>A61B</b>	<b>A2</b>	<b>(11) International Publication Number:</b> <b>WO 00/41613</b> <b>(43) International Publication Date:</b> 20 July 2000 (20.07.00)															
<b>(21) International Application Number:</b> PCT/US00/00908 <b>(22) International Filing Date:</b> 13 January 2000 (13.01.00)  <b>(30) Priority Data:</b> <table border="0"><tr><td>60/115,948</td><td>14 January 1999 (14.01.99)</td><td>US</td></tr><tr><td>60/115,914</td><td>14 January 1999 (14.01.99)</td><td>US</td></tr><tr><td>Not furnished</td><td>12 January 2000 (12.01.00)</td><td>US</td></tr><tr><td>Not furnished</td><td>12 January 2000 (12.01.00)</td><td>US</td></tr><tr><td>Not furnished</td><td>12 January 2000 (12.01.00)</td><td>US</td></tr></table> <b>(71) Applicant:</b> POINT LOMA INDUSTRIES, INC. [US/US]; Suite 495, 9820 Willow Creek Road, San Diego, CA 92131 (US). <b>(72) Inventors:</b> BUCHANAN, Leonard, F.; San Diego, CA (US). ANDRADE, Ernesto, P.; San Diego, CA (US). CHRISTENSEN, James, L.; San Diego, CA (US). HUDDLESTON, Donna, R.; San Diego, CA (US). <b>(74) Agent:</b> LAND, John; Fish & Richardson P.C., Suite 1400, 4225 Executive Square, La Jolla, CA 92037 (US).		60/115,948	14 January 1999 (14.01.99)	US	60/115,914	14 January 1999 (14.01.99)	US	Not furnished	12 January 2000 (12.01.00)	US	Not furnished	12 January 2000 (12.01.00)	US	Not furnished	12 January 2000 (12.01.00)	US	<b>(81) Designated States:</b> AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i>
60/115,948	14 January 1999 (14.01.99)	US															
60/115,914	14 January 1999 (14.01.99)	US															
Not furnished	12 January 2000 (12.01.00)	US															
Not furnished	12 January 2000 (12.01.00)	US															
Not furnished	12 January 2000 (12.01.00)	US															
<b>(54) Title:</b> EXPERT SYSTEM FOR REAL-TIME DECISION SUPPORT  <b>(57) Abstract</b>  An expert system for real-time decision support, and more particularly a computerized system for performing individual point of care diagnostics and treatment using expert decision making processes. The invention also includes an expert system for data entry and processing that provides real-time decision support and an electronic record of an individual interview. The invention is particularly well suited to the medical industry. One aspect of the invention includes an expert system for real-time decision support, comprising: an assessment system for receiving input data about a patient's health status; a problem identification system for analyzing the input data against a problem identification healthcare knowledge base and associating a probable diagnosis based on the analysis of the input data; a desired outcome generation system for analyzing the probable diagnosis against a desired outcome healthcare knowledge base and associating a desired outcome based on the analysis of the probable diagnosis; an intervention generation system for analyzing the probable diagnosis and desired outcome against an intervention healthcare knowledge base and associating an intervention based on the analysis of the probable diagnosis and desired outcome; and a recording system for analyzing patient recovery progress relative to desired outcomes. The invention further includes related methods and computer programs.																	



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		



## EXPERT SYSTEM FOR REAL-TIME DECISION SUPPORT

### CROSS REFERENCE TO RELATED APPLICATIONS

This application claims priority under 35 U.S.C. §119(e) from Provisional Application Serial No. 60/115,948, filed January 14, 1999; and Provisional Application Serial No. 60/115,914, filed January 14, 1999, the disclosures of which are incorporated  
5 herein by reference.

### TECHNICAL FIELD

The invention relates generally to an expert system for real-time decision support, and more particularly to a computerized system for performing individual point of care diagnostics and treatment using expert decision making processes.  
10

### BACKGROUND

The healthcare industry is faced with the challenge of providing high quality healthcare at lower costs. The knowledge base in today's medical fields is growing rapidly, as are  
15 both the number and expense of diagnostic and therapeutic interventions. Health care providers can no longer be familiar with, let alone master, the knowledge domain, or be expected to keep up with all of the changes in medical decision making which are intended to improve patient outcome and reduce costs. Computer assisted healthcare systems have the potential of helping health care providers make cost effective medical decisions and simultaneously keep them abreast of changes in their particular area of clinical decision making.  
20

Automation of diagnostic healthcare has been attempted in the past, but current systems fail to adequately provide real-time information at the point of care. Current systems generally are not adaptable to local practice guidelines or modifications to established protocols. As a result, these systems fail to adequately provide an environment in which  
25 established guidelines can be uniformly and consistently applied during the healthcare process.

Other decision support systems presently in use generally assist with diagnoses only, or provide alerts in the form of drug or laboratory information. Still other support systems



simply provide required information in a useable but passive format, allowing a clinician to make a decision based on displayed information.

Accordingly, the inventors have determined that there is a need for an expert system for real-time decision support, and more particularly for a computerized system for performing individual point of care diagnostics using expert decision making processes. Such a system should be acceptable to health care providers by making: 1) entry of clinical data to support the medical decision making easy; 2) providing guidelines acceptable to clinician users; and 3) provide an acceptable response time. The present invention meets these needs.

## SUMMARY

The invention includes an expert system for real-time decision support, and more particularly a computerized system for performing individual point of care diagnostics and generation of treatment plans using expert decision making processes. The invention also includes an expert system for data entry and processing that provides real-time decision support and an electronic record of an individual interview. The invention is particularly well suited to the medical industry.

Knowledge-based expert systems are computer programs which process an expert knowledge base, are able to make rational decisions and recommendations by inferring from this knowledge, and can justify their decisions and recommendations. Thus, these types of programs can process and apply human knowledge, enabling that knowledge to be used flexibly, often mimicking the outcome of a human decision-making process.

In a preferred embodiment of a decision support system, the invention implements a paperless electronic medical record which defines the essential and desirable elements of a clinical encounter and provides real-time medical decision support. The invention allows for rapid data input and retrieval, promotes continuous quality assurance practices, provides real-time patient assessments, and is readily adaptable to changing guidelines, all essential in the health care delivery environment. The system stores patient records and medical history in a relational database. The system includes medical decision support rules to assist in medical decision making. These rules select patient assessment information stored in the database to define patient problems, desired outcomes, and recommended medical interven-



tions to achieve those outcomes. Medical decision recommendations are generated in real time to provide immediate decision support at the point of care. The preferred system includes a graphical user interface, which allows the user to easily and efficiently enter data and simultaneously presents suggestions for care and treatment in the form of suggested tests, diagnoses, and treatments.

At each step of decision making, the user is asked to verify the decisions of the expert system and is given the opportunity to override the decisions. The system records all clinical exceptions, which can be used to systematically modify the rules either generically or for specific sites and users. The preferred embodiment also provides structuring of a huge medical knowledge base into sections which emulate a set of expert care givers in particular specialties, resulting in recommendations to a user in acceptably short response times.

More particularly, one aspect of the invention includes an expert system for real-time decision support, comprising: an assessment system for receiving input data about a patient's health status; a problem identification system for analyzing the input data against a problem identification healthcare knowledge base and associating a probable diagnosis based on the analysis of the input data; a desired outcome generation system for analyzing the probable diagnosis against a desired outcome healthcare knowledge base and associating a desired outcome based on the analysis of the probable diagnosis; an intervention generation system for analyzing the probable diagnosis and desired outcome against an intervention healthcare knowledge base and associating an intervention based on the analysis of the probable diagnosis and desired outcome; and a recording system for analyzing patient recovery progress relative to desired outcomes. The invention further includes related methods and computer programs.

By providing computer-driven practice guidelines, the invention enables health care providers to deliver more uniform and cost effective medical care. The use of practice guidelines has been demonstrated to improve health outcomes. Clinical guidelines have been promoted as a way of decreasing variance in practice patterns and improving the quality and cost effectiveness of medical care. While numerous organizations have demonstrated the feasibility of developing guidelines, there are few proven methods for effectively disseminating and implementing them.



The details of one or more embodiments of the invention are set forth in the accompanying drawings and the description below. Other features, objects, and advantages of the invention will be apparent from the description and drawings, and from the claims.

## DESCRIPTION OF DRAWINGS

FIG. 1 is a block diagram of the care giving process in accordance with the invention.

FIG. 2 is a schematic block diagram of a data processing system in which the system may be employed.

FIG. 3A is a functional block diagram of the invention.

FIG. 3B is a flowchart showing the steps of determining a protocol.

FIG. 3C is a table showing an example of indicators that define *Stable Angina*.

FIG. 3D is a table showing an example of different intervention types and their associated rules.

FIG. 3E is a table showing an example of different problems and their associated outcomes.

FIG. 4 is a data flow diagram of the core computational modules of the invention.

FIG. 5A is a diagram of hierarchical structure levels of a preferred tree data structure for storing patient data.

FIG. 5B is a representative patient tree data structure root node showing only major container nodes.

FIG. 6 is a diagram of specific tree data structure for storing patient data.

FIG. 7A is a general flowchart of the process for entering individual information and opening an individual chart.

FIG. 7B is a depiction of a graphical user interface that may be used to implement part of the functions set forth in FIG. 7A.

FIG. 7C is a depiction of a graphical user interface that may be used to display a patient's chart information in accordance with one embodiment of the invention.

FIG. 8A is a general flowchart and data diagram of the process for entering rapid scan data, determining problems, determining recommended interventions, and determining outcomes.



FIG. 8B is a depiction of a graphical user interface that may be used to implement part of the functions of the Vital Signs submodule 804.

FIG. 8C is a depiction of a graphical user interface that may be used to implement part of the functions of the Physical Exam submodule 806.

5 FIG. 8D is a depiction of a graphical user interface that may be used to implement part of the functions of the Pain Profile submodule 808 for chest pain.

FIG. 8E is a depiction of a graphical user interface that may be used to implement part of the functions of the Risk Factors submodule 810 for cardiac risk.

10 FIG. 9A is a general flowchart of the process for entering assessment data, determining problems, determining recommended interventions, and determining outcomes.

FIG. 9B is a depiction of a graphical user interface that may be used to implement part of the functions of the Allergies submodule 902.

FIG. 9C is a depiction of a graphical user interface that may be used to implement part of the functions of the Drug Profile submodule 904.

15 FIG. 9D is a depiction of a graphical user interface that may be used to implement part of the functions of the History submodule 906.

FIG. 9E is a depiction of a graphical user interface that may be used to implement part of the functions of the Psych/Social module 908.

20 FIG. 9F is a depiction of a graphical user interface that may be used to display the results of the Determine Problems submodule 812.

FIG. 9G is a depiction of a graphical user interface that may be used to display the results of the Determine Interventions submodule 814.

FIG. 9H is a depiction of a graphical user interface that may be used to display the results of the Determine Outcomes submodule 816.

25 FIG. 10A is a flowchart of the process for evaluating assessment data to determine individual problems, determine recommended interventions, and determine outcomes.

FIG. 10B is a depiction of a graphical user interface that may be used to implement part of the functions of the Labs submodule 1002.

30 FIG. 10C is a depiction of a graphical user interface that may be used to implement part of the functions of the ECG submodule 1004.



FIG. 10D is a depiction of a graphical user interface that may be used to implement part of the functions of the ECG monitor submodule 1006.

FIG. 10E is a depiction of a graphical user interface that may be used to implement part of the functions of the Dx Tests submodule.

5        Like reference numbers and designations in the various drawings indicate like elements.

## DETAILED DESCRIPTION

### *Overview*

10        By providing computer-driven practice guidelines, the invention enables health care providers to deliver more uniform and cost effective medical care. While numerous organizations have demonstrated the feasibility of developing guidelines, there are few proven methods for effectively disseminating and implementing them.

15        In particular, the preferred embodiment of the invention overcomes the limitations of previous automated guidelines by integrating practice guidelines into the routine flow of healthcare so that recommendations are automatically delivered to the physician at the time the physician is seeing a patient. Rather than offer guidelines as an "off-line" reference tool, there are embedded in the electronic medical record, automatically passing patient clinical data through guideline rules and presenting the physician with guideline conclusions. The  
20        physician can then follow or diverge from the guideline advice. The system handles every step in the care of the patient.

25        By embedding the guidelines in a comprehensive electronic charting system, accessing the guideline requires no extra action by the physician, decreasing the likelihood that it will be perceived as an extra, time-consuming step. Furthermore, by presenting the guidelines at every individual encounter, the system works as a continuous reminder, eliminating problems that arise when traditional educational measures are relied upon to foster and maintain new behaviors.

30        In view of the problems and limitations of previous decision support systems, it is an object of the invention to emulate real-time expert healthcare at the point of care. The invention is based upon the concept that the critical knowledge regarding medical manage-



ment does not exist in textbooks or other standard reference documents, but is best embodied in practice guidelines which include essential clinical data elements, rules for clinical decision making, and outcomes measures. The embedded guidelines are based upon expert review of the medical literature regarding evidence based medicine and augmented by review of expert panels. The invention is a comprehensive decision support system providing support for individual assessment, identifying individual problems and desired outcomes, recommending interventions and appropriate diagnostic tests and treatment, and reassessing to determine actual outcomes. This comprehensive decision support information is provided in real-time, at the point of care. It is believed that these features are unique in the industry.

Another objective of the invention is to enforce compliance with established practice guidelines for improved quality of healthcare. The invention incorporates rule based medical practice guidelines and emulates expert care givers at the time of individual care. The invention ties each step of the individual care process to a specialty knowledge base with specific rules for that process. The invention produces a recommended diagnosis using a set of sophisticated rules applied to the essential clinical data entered into the system. The rules also determine recommended immediate treatments and diagnostic tests that are necessary. The preferred embodiment of the invention prompts the physician to order these treatments and tests, then records the results of these tests and changes in clinical condition brought about by treatment, and then refines the diagnosis as a result of this additional information. Finally, the invention makes a tentative final recommended diagnosis and suggests the appropriate treatment, including patient disposition, medications, schedules, and follow-up care, and creates detailed patient specific aftercare instructions. All these items can be verified by the health care provider.

It is a further objective of the invention to concurrently create an electronic individual record and provide the care giver with suggested cost-effective therapeutic interventions. A clinician can chart activities by simply selecting an intervention item for a permanent record of the encounter. The preferred embodiment of the invention provides access to individual records and history as well as to the rules and recommendations provided in the knowledge base. The user may enter assessment notes and intervention evaluation data and the system



responds with recommendations, advice and suggestions tuned to the specific circumstances representing the current state of the individual and to the history of the individual.

In view of the foregoing and other objects of the invention, there is provided a data entry and real-time medical decision support system and method for generating an electronic medical record. The invention is an expert real-time decision support and electronic record  
5 system. In a specific embodiment, the invention provides real-time medical decision support and an electronic medical record of clinical encounters with patients. The invention is designed to improve the quality of healthcare by providing consistent standards of care to the care giver at the point of care by automatically enforcing and utilizing established protocols.  
10 The invention utilizes expert system technology to provide learned knowledge and facilitate decision-making during assessment, intervention, and evaluation processes. The invention is designed to help a clinician anticipate problems, symptoms, or side effects given a patient's health history, diagnosis, surgical procedures, treatment and medications. The preferred system will help a clinician track a patient's recovery time and assist in early detection of  
15 problems to prevent worsening which could lengthen a hospital stay.

#### *Care Giving Process*

FIG. 1 is a block diagram of the care giving process in accordance with the invention. Patient data 100, such as demographic data (*e.g.*, age, sex, *etc.*) and medical history and  
20 symptom data (*e.g.*, vitals, allergies, *etc.*), are input into an assessment module 102 which preferably includes a graphical user interface (GUI) that guides a practitioner through a desired set of questions drawn from an assessment knowledge base 104. Such questions may vary, depending on the answers to earlier questions (*e.g.*, the questions posed to male patients may be different from the questions posed to female patients). The data gathered by the  
25 assessment module 102 is then processed by a patient problem identification module 106, which provides an initial diagnosis based upon inferences drawn from the patient's responses as applied to a patient problem knowledge base 108. For example, one diagnosis might be "possible pneumonia" based on inputs that include the patient's complaints (*e.g.*, coughing, chest pain, *etc.*), temperature, blood pressure, respiratory function, prior medical history, *etc.*



The system may also prompt the user to order additional tests and/or to give immediate treatment.

Thereafter, a desired outcome module 110 processes the initial diagnosis against an outcome knowledge base 112 and determines what desired outcomes may be available (e.g.,  
5 "arrest infection", "eliminate tobacco use", *etc.*). An intervention module 114 then applies the patient problem against an intervention knowledge base 116 and determines an intervention plan, which may include a recommendation of further diagnostic tests, patient education, follow up, and specific treatment.

At all times, the system modules display results to a practitioner console 118 and  
10 permit a practitioner to override a diagnosis, desired outcome recommendation, and intervention plan.

Finally, the system measures the actual outcome by guiding a practitioner through the process during recurring visits to the practitioner, with the actual outcome data possibly affecting the other steps in the process as the patient's condition changes. In the preferred  
15 embodiment, an actual outcome module 122 provides a GUI that guides the practitioner through a desired set of questions drawn from an evaluation knowledge base 124.

The system provides access to individual records and history as well as to the rules and recommendations provided in the knowledge base. The user may enter assessment notes and intervention evaluation data and the system responds with recommendations, advice and  
20 suggestions tuned to the specific circumstances representing the current state of the individual and to the history of the individual.

### *Computing Environment*

The invention may be implemented in a client/server architecture that utilizes modern  
25 communication technology to allow multiple care givers at client stations to simultaneously interface with the medical guidelines embedded in a network server. FIG. 2 is a schematic block diagram of a networked data processing system 200 in which the inventive decision support system may be employed. The representative system includes at least one server platform 202 and one client station 204, and can be scaled to include an arbitrary number of  
30 M server platforms 202 and N client stations 202. In the illustrated embodiment, the server



platforms 202 include database storage 206 for the system's decision support rules and storage 208 for individual patient data records. Each client station 204 includes at least a data entry and display element 212, such as a CRT, mouse, and keyboard; an interface control element 214 for controlling communications with the server platforms 202; a processor 216, and local memory 218 (*e.g.*, RAM, disk drive, *etc.*). Each client station 204 may be, for example, a standard personal computer which may be running under a standard operating system, such as the Microsoft Windows 95™ or Windows NT™ operating systems.

User interaction takes place in the client stations 204, each running a client application. Individual patient data may be transmitted to a server platform 202 across a network 210 from the client stations 204. The client stations 204 may interface with a server platform 202 located at the same medical facility by means of a local area network or may interface with a remote server platform 202 over a wide area network. The system may also provide portable access through the use of wireless keyboard or pen based systems deployed as client platforms 204. In the illustrated configuration, both wide area and local area networks may be used to provide direct access at the point of care using Common Object Request Broker Architecture (CORBA) Transmission Control Protocol/Internet Protocol (TCP/IP) connectivity. In the preferred embodiment, distributed object request brokers, application development, and run-time management environments provide the security, transaction management and administrative management infrastructure needed to successfully scale the system for wider application by additional users and to develop, deploy, manage, and maintain an expanded system throughout its life cycle.

Processing of patient data using the decision support rules is preferably done on the servers 202 by means of a processor element 220 executing a server application. The server application interacts with the databases and performs rule processing. (Such processing could be executed on the client platforms 202 but the arrangement illustrated is the preferred configuration to implement potential mass data storage and high speed processing requirements, thereby allowing the use of smaller and less expensive client platforms which are likely to be utilized in large numbers in a typical healthcare environment). The server application may also be executed on a standard personal computer running under a standard



network operating system. The databases may be implemented utilizing a commercially available relational database management system, such as Microsoft SQL, Oracle, or Sybase.

The invention may be implemented in hardware or software, or a combination of both. However, preferably, the invention is implemented in computer programs executing on programmable computers each comprising at least one processor, at least one data storage system (including volatile and non-volatile memory and/or storage elements), at least one input device, and at least one output device. Program code is applied to input data to perform the functions described herein and generate output information. The output information is applied to one or more output devices, in known fashion.

Each program is preferably implemented in a high level procedural or object oriented programming language to communicate with a computer system. However, the programs can be implemented in assembly or machine language, if desired. In any case, the language may be a compiled or interpreted language.

Each such computer program is preferably stored on a storage media or device (e.g., CDROM or magnetic diskette) readable by a general or special purpose programmable computer, for configuring and operating the computer when the storage media or device is read by the computer to perform the procedures described herein. The inventive system may also be considered to be implemented as a computer-readable storage medium, configured with a computer program, where the storage medium so configured causes a computer to operate in a specific and predefined manner to perform the functions described herein.

#### *Knowledge Base Processing*

The preferred embodiment of the invention employs autonomous forward and backward chaining in the inference process to generate problems, interventions and outcomes. Problems are derived by matching input data to the expert knowledge base rules to generate terminal nodes which describe the problems and the associated rationale used to arrive at conclusions. Interventions and outcomes are generated by a similar process which matches the derived problems and the expert knowledge base rules to generate additional terminal nodes.



FIG. 3A is a functional block diagram of one embodiment of the invention. This embodiment operates on a collection of input data 300 that is evaluated by an inference engine using a set of rules to generate an output. The input data 300 consists of a patient's current medical state and medical history, which preferably is entered into the system by a care giver. An input translator 302 maps the input data into a set of hierarchical symptoms 304 in order to apply the rules in an inference engine 306. A protocol building tool 308 known as the ROOL Tool™ may be used to build a protocol 310 based on: identifying patient problems and indicators (e.g., vital signs and test results) to build a set of inference rules; identifying interventions to address the patient problems and building rules for the interventions; and identifying a set of desired outcomes. However, other means, such as hand-coding, may be used to build the protocol 310.

The resulting protocol 310 is expressed as a collection of IF-THEN (or IF-THEN-ELSE) rules based on the results of the indicators and interventions. In the preferred embodiment, rules have the following format: IF (indicator, operator, value) THEN problem(likelihood, urgency). Two or more IF statements may be concatenated into a single rule by simply selecting an existing rule and selecting an additional indicator, operator, and value set. An example of a rule is:

```
IF ("Vitals"."Last"."List"."Left Systolic Blood Pressure"."Any"."*". "Last" >= 140)
{"Problems"."Hypertension"."Likelihood"."Last" := "Confirmed";}
```

where ">=" is the operator and "140" is the value of the IF statement, and the THEN clause is set forth between curly brackets. The example rule checks the most recent left systolic blood pressure entered into the system for this patient, independent of the patient's physical position at the time, and confirming a problem of hypertension if the data is greater than 140.

The rule structure is better understood with an understanding of the patient data tree structure. The patient data tree is constructed as a number of containers which are nodes attached to a root node. The root node is a unique patient identifier. The containers attached to the root node are logical elements of the problem domain. Further discussion of the patient data tree structure is set forth below in discussing FIGS. 5A and 5B. The above example of a rule is explained by reference to the patient data tree structure.



The inference engine 306 handles the way in which protocol rules are combined to generate patient problem, intervention, and outcome decision trees 318. An output translator 312 maps these trees into respective patient problem, intervention, and outcome sets 314. The hierarchical symptom structure 304 and output sets 314 provide the basis for electronic records 316.

### *Protocol Building*

The preferred protocol building tool 308 allows a user to interactively add rules to the knowledge database without requiring a software engineer to write, debug, and integrate new code into a new system. Further description of the preferred protocol building tool 308 is set forth in co-pending U.S. Patent Application Serial No. \_\_\_\_\_, entitled "Protocol Building Tool For Medical Decision Support Expert System", filed January 12, 2000, assigned to the assignee of the present invention and incorporated by reference. However, the general procedure for determining a protocol in accordance with the invention may be summarized by reference to FIG. 3B, which is a flowchart showing the steps of determining a protocol:

- Define the problem (e.g., "determining Stable Angina") (STEP 320).
- Define indicators for the problem, such as "chest pain – intermittent" (STEP 322). Indicators are generally empirically determined, such as by clinical experience and/or statistical analysis of patient population data. In the preferred embodiment, such indicators are built into a tree structure representing patient assessment data. Each indicator preferably is qualified by "Any", "All", "First", or "Last". These qualifiers are used to decide what data will be included in building the protocol rule.
- Build a Problem Rule (STEP 324). The indicators are used to define the problem, the urgency of the problem, and the likelihood that the problem exists in light of the indicator. FIG. 3C is a table showing an example of indicators that define *Stable Angina*.



- Define the Interventions (STEP 326). Once a user has built the problem rules, a user must determine the recommended interventions. In the preferred embodiment, interventions are divided into four categories: diagnostics, treatment, education, and follow up. Interventions are generally empirically determined, such as by clinical experience.

5

- Build the Intervention Rules (STEP 328). In the preferred embodiment, the defined interventions are also given likelihoods and urgencies, and used to build a set of intervention rules. FIG. 3D is a table showing an example of different intervention types and their associated rules.

10

- Define Desired Outcomes (STEP 330). Each patient problem has one or more desired outcomes. Outcomes are generally determined as desired results of the application of interventions to the original problem.

15

- Build Outcome Rules (STEP 332). In the preferred embodiment, the defined desired outcomes are used to build a set of outcome rules. FIG. 3E is a table showing an example of different problems and their associated outcomes. In the preferred embodiment, some of the outcomes may have associated empirically determined indicators to measure whether an outcome has been met. For example, in FIG. 3E, the outcome "Effective breathing pattern and optimal gas exchange" has an asterisk, indicating that associated indicators exist. Such indicators might include the following:

20

Effective breathing pattern and optimal gas exchange = "O<sub>2</sub> Saturation  
 >=92" + "no cyanosis" + "no shortness of breath with or without  
 exertion" + "breath sounds clear" + "RR>=10"

25

#### *Rule Processing Data Flow*

FIG. 4 is a data flow diagram of the core computational modules of the invention. Information broker 400, rule server 402, and patient data 404 modules interact with one other to provide the core computational facilities of the preferred embodiment of the present invention. Through these modules, individual patient data is converted from a relational

30



database 406 to a format usable by the client application, and *vice-versa*. Protocol rules from a knowledge base 408 are processed using current institution-specific protocols to generate patient problem, intervention, and outcome sets.

More particularly, the information broker module 400 encapsulates the methods  
5 which interact with a relational patient database 406. Such encapsulation provides a layer of abstraction between the database implementation and the processes which interact with the database. In so doing, the information broker module 400 provides the means to easily configure the system interface with any of several commercially available database management systems. The information broker module 400 also performs a translation of patient data  
10 files from the relational tables stored in the patient database 406 to a patient data tree structure utilized by the patient data module 404 to perform rule processing, and translates updated patient data trees back to the stored relational tables. The patient data module 404 encapsulates the data pertinent to each patient represented in the data base. The rule server module 402 utilizes protocols stored in the knowledge base to perform rule processing on the  
15 data encapsulated by the patient data module 404 and generates problem, intervention, and outcome sets which become a part of the patient record and are handed back to the patient data module 404 for storage in the patient database 406.

In general, when a patient's chart is opened, the preferred embodiment of the invention invokes an initialization process which provides access to the knowledge base 408  
20 and patient database 406. Rule processing is performed on a patient data tree structure which is constructed based on patient input data and is maintained by the information broker 400. Rule processing is initiated by user request once the appropriate data has been entered into the system. The rule server 402 builds a master list of all the relevant rule files to be processed. The rule processing function converts compiled rules into distinct logical units in an  
25 IF ... THEN ... ELSE ... block, where the expression inside each IF statement can be evaluated.

Once the pertinent rules are selected, the rule server 402 recursively traverses each patient data tree structure using left and right side token paths, and returns TRUE or FALSE based on the rules of operator evaluation. The rule server 402 determines where to proceed to  
30 process a next rule based on the result of each evaluation. Such rule-based systems are well-



known in general. For example, a rule-based program called ILIAD has been under development at the University of Utah School of Medicine. ILIAD uses Bayesian reasoning to calculate the posterior probabilities of various diagnoses under consideration, given the findings present in a case. The Harvard Medical School is developing a decision support system called DXplain which acts on a set of clinical findings using a modified form of Bayesian logic to produce a ranked list of diagnoses which might be associated with the clinical manifestations. The Dallas VA Medical Center is developing an expert system designed to handle routine care in an epilepsy follow-up clinic. The system guides nurses in gathering patient histories and then generates preliminary progress notes along with a personalized patient information sheet. The 3M Corporation has developed a system called HELP which uses decision support rules to provide alerts/reminders, data interpretation, patient diagnosis, patient management suggestions and clinical protocols.

The preferred embodiment structures a huge medical knowledge base into sections which emulate a set of expert care givers in particular specialties, resulting in recommendations to a user in acceptably short response times. For example, when a patient complains of chest pain and shows a history of cardiac problems, the system need access and apply only the pertinent rules from the knowledge base 408. Preferably, the knowledge base can be updated with the system in use, and knowledge bases may be exchanged between systems.

A user preferably interacts with the preferred embodiment of the invention through a graphical user interface by entering symptoms and vital signs, and accesses the knowledge base and inference engine through a network to retrieve recommended interventions and outcomes. The preferred embodiment implements an electronic record charting capability which is accessible and updated during the individual contact. Data is preferably recorded using point and click mechanisms (*e.g.*, by means of a mouse) or touch screen technology, and data is presented in graphical menus that are site-configurable. The software facilitates real-time decision support by utilizing the expert knowledge base 408 to identify individual problems, desired outcomes, and recommended interventions. The user is automatically alerted when critical conditions exist.



*Data Structures*

FIG. 5A is a diagram of hierarchical structure levels of a preferred tree data structure for storing patient data. A root node 500 includes a unique identifier for each patient. One or more container nodes 502 are attached to the root node 500. Container nodes 502 categorize patient data into logical groups. In the preferred embodiment, the number of container nodes 502 for an individual patient is variable and is defined as a user enters data into a patient's record. Each container node 502 may have  $n$  lower levels of descriptor nodes 504 for further categorization and characterization. The number of descriptor nodes 504 in each level of the tree and the depth of the tree is variable, based upon the data that is entered.

In the preferred embodiment, the nodes of each patient tree data structure are stored as a vector of entries under the next higher level structural element. Each database entry at every node preferably includes a time stamp, a user name, and a data field. The order of the entries in the database depends upon the chronological order in which they were entered. In the preferred embodiment, if a particular node is no longer part of an individual's history, that node is not deleted from the tree but is simply marked as deleted in order to maintain an accurate historical record in the database.

FIG. 5B is a representative patient data tree structure root node 506 showing only major container nodes 508. In the preferred embodiment, the root node 506 contains a patient unique identifier (PatientID). The immediate "children" nodes of the PatientID root node 506 are container nodes 506. The illustrated container nodes 508 categorize patient data into logical groups which represent general patient information, rapid scan information (described below), assessments, a care plan of desired outcomes and interventions, and test information.

FIG. 6 is a diagram of specific tree data structure for storing patient data. In particular, FIG. 6 shows the logical elements of a "Vitals" tree data structure 600. The following rule (used as an example above) can be explained using this tree data structure:

```
IF ("Vitals"."Last"."List"."Left Systolic Blood Pressure"."Any"."*"."Last" >= 140)
{"Problems"."Hypertension"."Likelihood"."Last" := "Confirmed";}
```

1. "Vitals" is the container shown at the top of the tree.



2. "Last"."List" is a qualifier/token pair that points to the "List" which was created by the most recent "Last" vitals data entered into the intervention.
3. "Left Systolic Blood Pressure" is one of the four nodes attached to each "List".
4. "Any"."\*" is a qualifier/token pair that references "Left Systolic Blood Pressure" collected in "Any" of three positions (sitting, standing, or lying down).
5. "Last" points to the most recent number attached as a node to any position.
6. >= is the greater than or equal to operator.
7. 140 is the comparison value.
8. "Problems"."Hypertension" establishes hypertension as a patient problem if the foregoing evaluation is true and, if hypertension is **not currently** recognized as a patient problem, a "Hypertension" node is attached to the "Problem" container of the patient tree.
9. "Likelihood"."Last" := "Confirmed" replaces the most recent "Likelihood" of the problem with likelihood "Confirmed".

Hence, the example rule is checking the most recent left systolic blood pressure entered into the system for this patient, independent of the patient's physical position at the time, and confirming a problem of hypertension if the data is greater than 140.

Further description of the preferred data structures is set forth in co-pending U.S. Patent Application Serial No. \_\_\_\_\_, entitled "Expert System Data Storage Format and Conversion System", filed January 12, 2000, assigned to the assignee of the present invention and incorporated by reference.

#### *Patient Data Entry*

FIG. 7A is a general flowchart of the process for entering individual patient information and opening an individual chart in accordance with a preferred embodiment of the invention. FIG. 7B is a depiction of a graphical user interface that may be used to implement part of the functions set forth in FIG. 7A.

Upon entering the system (STEP 700), a health care user has the option to select an existing individual (STEP 702) or add a new individual (STEP 704). If a new individual is added, the user is prompted to enter demographic data (STEP 706). The user is then



prompted to enter the patient's chief complaint or follow up information (STEP 708). In the preferred embodiment, menus for "Chief Complaints" (e.g., "bleeding", "nausea, vomiting", "fever", etc.) or "Follow Up For" (e.g., "angina", "hypertension", etc.) are presented, with entries selectable by simply pointing and clicking. Once these actions are complete, the user proceeds to open an individual chart by clicking, for example, an "open current chart" button (STEP 710). At this point, the system retrieves the individual patient information from the patient database 406 and the chart is opened. In the preferred embodiment, the user is then presented with a new graphical interface. FIG. 7C is a depiction of a graphical user interface that may be used to display a patient's chart information in accordance with one embodiment of the invention. In particular, information about the patient may be shown in windows 730 that allow for the charting of vital sign measurements, medical history, Patient Problems, Physical Exam, and Labs/Diagnostic Tests. This embodiment also provides access to any of several modules, such as Patient 750, Rapid Scan 800, Assessment 900, Care Plan 752, Diagnostic Tests 1000, and Help 754 (STEP 712). A description of the function of the preferred embodiment of each of these modules is set forth below.

The Patient module 750 preferably provides mechanisms to open another individual chart, review admission data, print the electronic record, close the chart, discharge the individual, or exit the application.

The Care Plan module 752 provides a direct path to the Determine Problems 812, Determine Interventions 814, and Determine Outcomes 816 submodules described below, preferably using a pull down menu. The user simply clicks one of the three items and the appropriate processing described below is invoked, utilizing data that has been provided to the system.

The Help module 754 provides a pull down menu which offers access to files describing how to operate the system and displays the version number of the executable software. Numerous help files may also be provided through point and click mechanisms in each of the modules which are described below.



*Rapid Scan*

In the preferred embodiment, the Rapid Scan module 800 was developed to enter patient assessment data normally associated with urgent cardiac care. Additional focused assessment modules may be developed and associated with additional disciplines. The Rapid Scan module 800 presents an additional graphical interface which provides the mechanisms illustrated in FIG. 8A. More particularly, FIG. 8A is a general flowchart and data diagram of the process for entering rapid scan data, determining problems, determining recommended interventions, and determining outcomes. Selection of Start Rapid Scan function 802 leads the user through a series of submodules. Each submodule presents a menu which allows the user to select data entry items for a patient. Data entry can be through a keyboard or by free text entries. A button keypad may also be provided to enter data through point and click operations using embedded numeric keys.

The Start Rapid Scan function 802 starts the user with a Vital Signs submodule 804. The Vital Signs submodule 804 preferably presents a menu which allows the user to select Enter Vital Signs in order to enter such data as blood pressure, pulse rate, respiratory rate, temperature, height, weight, *etc.* The user is also presented with options to select Edit Last, which displays the last set of vital signs recorded for the patient; Cancel to return to the Rapid Scan window; Notes, to include any appropriate notations; Date and Time to override the current date and time, which are automatically displayed; or Record to store the data and proceed to the Physical Exam submodule 806. FIG. 8B is a depiction of a graphical user interface that may be used to implement part of the functions of the Vital Signs submodule 804.

The Physical Exam submodule 806 presents another set of menus which allow the user to select menu entries for physical Observations, Abnormal Signs, Mentation, and Other parameters of interest. The user is also presented with options to Cancel and return to the Rapid Scan window; proceed to the Pain Profile submodule 808 or Risk Factors submodule 810; or Close the exam, which causes the data to be recorded and executes a Determine Problems submodule 812. FIG. 8C is a depiction of a graphical user interface that may be used to implement part of the functions of the Physical Exam submodule 806.



The Pain Profile submodule 808 presents another set of menus which allow the user to select menu entries for a pain profile, such as activities that cause Precipitation of pain; Location of the pain; actions that cause Relief of the pain; the Character of the pain; and a Time Line, which includes parameters such as pain duration, onset, intensity, and pattern.

5 The user is also presented with options to Cancel or Close, as in the Physical Exam submodule, or proceed to the Risk Factors submodule 810. FIG. 8D is a depiction of a graphical user interface that may be used to implement the Pain Profile submodule 808 for chest pain. Other interfaces may be used to implement part of the functions of the Pain Profile submodule 808 for other types of pain, as determined by applying the patient's complaint data to  
10 the assessment knowledge base 104 (see FIG. 1).

The Risk Factors submodule 810 presents another set of menus which allow the user to select menu entries regarding historical and physical Factors affecting risk (*e.g.*, smoking, family history of similar disease, *etc.*), and a set of Recent Problems which may exacerbate additional problems. The user again has the option to Cancel or Close as is the previous  
15 modules. FIG. 8E is a depiction of a graphical user interface that may be used to implement the Risk Factors submodule 810 for cardiac risk. Other interfaces may be used to implement part of the functions of the Risk Factors submodule 810 for other types of risk, as determined by applying the patient's complaint data to the assessment knowledge base 104 (see FIG. 1).

Once sufficient available data is collected, the Determine Problems 812, Determine  
20 Interventions 814, and Determine Outcomes 816 submodules are executed in the manner described below.

### *Assessment*

The Assessment Module 900 depicted in FIG. 7A presents an additional graphical  
25 user interface which provides the mechanisms illustrated in FIG. 9A. More particularly, FIG. 9A is a general flowchart of the process for entering assessment data, determining problems, determining recommended interventions, and determining outcomes. The user may enter data through point and click mechanisms on pull down menus and by free text entries. A Record button may be provided to save each entry, or saving may be automatic. All lists  
30 preferably are completely configurable to the requirements of individual facilities.



An Allergies submodule 902 permits entry of a history record of allergies, including specific substances or events and reactions, and categorizes each allergy, for example, as “environmental”, “food”, or “medication” (this may be done by means of a simple lookup table). FIG. 9B is a depiction of a graphical user interface that may be used to implement part  
5 of the functions of the Allergies submodule 902.

A Drug Profile submodule 904 permits entry of a drug history record of drug use. The user may enter medication, indication, dose, route, frequency, history of usage, ordering and administering clinicians as applicable, whether or not the drug was taken as prescribed, and any additional notes desired. FIG. 9C is a depiction of a graphical user interface that may be  
10 used to implement part of the functions of the Drug Profile submodule 904.

A History submodule 906 permits entry of a complete patient medical history (PMH). In the preferred embodiment, a comprehensive history can be recorded which may include entries related to cardiovascular, pulmonary, neurological, urinary, peripheral vascular, gastrointestinal, musculoskeletal, reproductive, surgical, immunological, accidents, family  
15 history and additional maladies. In the preferred embodiment, the comprehensive list encompasses all areas of medicine and is completely configurable to the requirements of individual facilities. FIG. 9D is a depiction of a graphical user interface that may be used to implement part of the functions of the History submodule 906. Multiple windows may be required to record a complete PMH.

A Psych/Social module 908 permits entry of a complete psychological and sociological profile history. The profile may include information on daily habits, diet, lifestyle, an environmental survey, immunization history, exercise habits, interpersonal relationships, and additional factors. FIG. 9E is a depiction of a graphical user interface that may be used to  
20 implement part of the functions of the Psych/Social module 908.

A Vital Signs submodule 910 provides an additional path to the Vital Signs submodule 804 described above as a portion of the Rapid Scan module 800. Similarly, a Physical Exam submodule 912 provides an additional path to the Physical Exam submodule 806 described above as a portion of the Rapid Scan module 800.  
25



A Review of Systems 914 submodule provides a comprehensive list of items for which diagnostic data and observations may be entered. The list may include head, ears, eyes, skin, nose, throat, neck, respiratory, reproductive, psychological, and additional items.

Once a complete assessment or any submodule within the assessment is complete, the user closes the exam, which causes the data to be recorded. Thereafter, the Determine Problems 812, Determine Interventions 814, and Determine Outcomes 816 submodules are executed in the manner described below.

#### *Determining Problems, Interventions, and Outcomes*

The Determine Problems submodule 812 accesses the knowledge base 408 and engages an inference engine in the rule server 402 to display a set of possible problems based on the entered data for the patient. Each problem displayed has an associated likelihood that may include an action recommendation and status. The likelihood may categorize each problem, for example, as "confirmed", "probable", and "possible". Action recommendations may be, for example, either "immediate" or "stat". Status entries preferably are included to provide the user the ability to record agreement or disagreement with the inference engine recommendations. Possible status entries may include "confirmed", "potential", "controlled", "ruled out" and "resolved". In the preferred embodiment, status entries invoke a problem confirmation display that requires the user to enter the name of the confirming diagnostician. Also, the problem list may be filtered to display only a user-defined set of likelihood and status entries. Entry buttons are included which allow the user to append notes regarding any recommendation or status entries. The graphical display also includes a "rationale" button that provides the opportunity to scrutinize the interpretation provided by the inference engine. A date and time field preferably is included to allow the user to record entries other than for the current date and time. FIG. 9F is a depiction of a graphical user interface that may be used to display the results of the Determine Problems submodule 812.

The Determine Interventions submodule 814 displays all interventions recommended by the inference engine and provides a set of controls (e.g., buttons) which allow the user to exercise point and click mechanics to include the status and time tag associated with each intervention. The intervention list may be filtered to display only those actions recommended



for a particular problem. A filtering mechanism is also included to display recommended interventions according to type, which may include diagnostics, treatment, education, and follow up. FIG. 9G is a depiction of a graphical user interface that may be used to display the results of the Determine Interventions submodule 814.

5           The Determine Outcomes submodule 816 displays all desired outcomes and also provides a set of controls (e.g., buttons) which allows the user to exercise point and click mechanics to include the status and time tag associated with each outcome. Status information may include entries such as "deteriorated", "improved", "unchanged", or "not applicable". In the preferred embodiment, entry buttons are included which allow the user to append  
10 notes regarding any outcome. Entry buttons are also included to allow the user to include additional desired outcomes to the list generated by the inference engine. FIG. 9H is a depiction of a graphical user interface that may be used to display the results of the Determine Outcomes submodule 816.

          Accordingly, FIGS. 9B-9H depict graphical user interfaces that together define a  
15 patient medical history chart. Data preferably is entered for the patient, whose name is shown at the top left of each chart, by simple point and click mechanisms. Each entry selected is highlighted during the point and click process. Note in FIG. 9D that window slider bars 920 are defined down the right edges of the windows 922 for Cardiovascular, Renal/Urinary, and Gastrointestinal information. These windows 922 include more entries than are visible in the  
20 allotted space. The additional entries are revealed by simply clicking and dragging the window slider bar or clicking the up/down arrows. Also note the tabs 924 across the top of the chart. Additional windows are opened by simply clicking the appropriate tab 924 for Allergies, Drug Profile, three additional Patient Medical History charts, or two different Psych/Social charts. Windows and buttons may be included in various displays (see, e.g.,  
25 FIG. 9F) to add clinical notes, view the system rationale for a selected problem, or to add additional problems by creating supplementary terminal nodes at the user's discretion.

### *Diagnostic Testing*

          The Diagnostic Tests module 1000 depicted in FIG. 7A presents an additional  
30 graphical interface which provides the selections illustrated in Figure 10A. More particularly,



FIG. 10A is a flowchart of the process for evaluating assessment data to determine individual problems, determine recommended interventions, and determine outcomes. In the preferred embodiment, point and click buttons are provided to delete, correct and record data. A button keypad may also be provided to enter data through point and click operations using embedded numeric keys. All lists preferably are completely configurable to the requirements of individual facilities.

A Labs submodule 1002 preferably provides pull down menus for lab orders and lab names, with entry windows for test dates and test results. In the preferred embodiment, test results are entered in a window with the range of normal values displayed alongside the user entered results. Subsequent test names and normal range of values are automatically displayed as each set of test data is recorded. FIG. 10B is a depiction of a graphical user interface that may be used to implement part of the functions of the Labs submodule 1002.

An ECG submodule 1004 preferably provides a comprehensive list of electrocardiograph test related items for selection. The list may include sinus rhythm/rate, ventricular rhythm/rate, ECG interpretation, atrial rhythm/rate, findings, junctional rhythm/rate, bundle branch block, and an additional window for miscellaneous entries. FIG. 10C is a depiction of a graphical user interface that may be used to implement part of the functions of the ECG submodule 1004. The ECG submodule 1004 applies to data collected once or at periodic intervals.

An ECG monitor submodule 1006 preferably provides a comprehensive list of items for selection. The list may include sinus rhythm/rate, blocks, ectopy, atrial rhythm/rate, ventricular rhythm/rate, junctional rhythm/rate, other rhythm, and ECG monitor interpretation. FIG. 10D is a depiction of a graphical user interface that may be used to implement part of the functions of the ECG monitor submodule 1006. The ECG monitor submodule 1006 applies to a continuous monitoring device.

Selections for "Echo" 1008, "X-ray" 1010, and "ETT" 1012 preferably provide access to a Diagnostic (Dx) Tests submodule which presents a comprehensive list of diagnostic tools for selection. The list may include echochardiographic or sonographic interpretation, X-ray interpretation, an ETT (Exercise Treadmill Test) pass/fail entry, and a window to enter test



dates. FIG. 10E is a depiction of a graphical user interface that may be used to implement part of the functions of the Dx Tests submodule.

As will be appreciated by the comprehensiveness of the medical data captured by the preferred embodiment of the invention, and the ease of use of the software implementing the invention, the invention provides a primary care giver virtually instant access to every aspect of a patient's medical history, including diagnosis, prescribed interventions, and desired outcomes. Thus, the use of an expert system provides a means for real-time point of care medical decision support. The invention also includes an expert system for data entry and processing that provides an electronic record of an individual interview. Use of the decision support system and electronic medical record to provide real-time medical decision support driven by evidence-based practice guidelines and augmented by expert opinion should result in more uniform and appropriate application of medical care which results in improved patient outcomes at reduced cost.

Embodiments of the invention include methods and corresponding computer programs that permit a computer system to collect and process patient data from a plurality of sites and perform statistical, cross-patient analyses. For example, multiple patient data can be processed to consolidate information indicative of any one of:

- a trend analysis of standard quality of care metrics, for quality of care visibility;
- evidence of a disease or chemical threat epidemiology in a population, thus providing real-time observability of such events;
- correlations between probable diagnoses, desired outcomes, and patient recovery progress, in order to change or fine-tune the knowledge base rules and standards of care for each health condition; or
- time spent by each provider with each patient, for cost visibility.

Further embodiments of the invention include methods and corresponding computer programs that provide a training or educational mode wherein the input data comprises constructed patient scenarios rather than data about an actual patient being treated. Such a system includes computer based training that provides the following functions:



- requiring a student operator to determine a correct answer at each step of an analysis process before the student operator is allowed to proceed to a next step in the analysis process;
- providing rationale and help screens for interactive learning by the student operator;
- recording student operator attempts and success rates at providing such correct answers; and
- providing a test phase during which a testing student operator's knowledge is tested (*e.g.*, presentation of multiple choice or true-false questions).

A number of embodiments of the invention have been described. Nevertheless, it will be understood that various modifications may be made without departing from the spirit and scope of the invention. Accordingly, other embodiments are within the scope of the following claims.



**WHAT IS CLAIMED IS:**

- 1 1. An expert system for real-time decision support, comprising:
  - 2 (a) an assessment system for receiving input data about a patient's health status;
  - 3 (b) a problem identification system for analyzing the input data against a problem  
4 identification healthcare knowledge base and associating a probable diagnosis based  
5 on the analysis of the input data;
  - 6 (c) a desired outcome generation system for analyzing the probable diagnosis against a  
7 desired outcome healthcare knowledge base and associating a desired outcome  
8 based on the analysis of the probable diagnosis;
  - 9 (d) an intervention generation system for analyzing the probable diagnosis and desired  
10 outcome against an intervention healthcare knowledge base and associating an  
11 intervention based on the analysis of the probable diagnosis and desired outcome;  
12 and
  - 13 (e) a recording system for analyzing patient recovery progress relative to desired  
14 outcomes.
- 1 2. The expert system of claim 1, wherein the intervention includes defining for the patient  
2 at least one of diagnostic tests, specific treatment, education, or follow up.
- 1 3. The expert system of claim 1, wherein each knowledge base incorporates rule-based  
2 medical practice guidelines for enforcing compliance with established medical practice  
3 guidelines.
- 1 4. The expert system of claim 1, wherein the problem identification system determines  
2 whether immediate treatments and diagnostic tests for the patient are necessary, and  
3 prompts a medical care giver to provide such necessary treatments and diagnostic tests.



- 1     5.   The expert system of claim 1, further including a record creation system for creating an  
2       electronic record for each patient concurrent with a patient encounter, the electronic  
3       record including the input data, probable diagnosis, desired outcome, and intervention.
  
- 1     6.   The expert system of claim 1, wherein each of the assessment system, problem identifi-  
2       cation system, desired outcome generation system, intervention generation system, and  
3       actual outcome recording system include a computer-implemented graphical user  
4       interface for ease of data entry and display, and substantially all medical categorizations  
5       are selectable from pre-defined lists.



- 1     7. A method for implementing real-time medical decision support, comprising the steps of:  
2         (a) receiving input data about a patient's health status;  
3         (b) analyzing the input data in a computer against a problem identification healthcare  
4             knowledge base and associating a probable diagnosis based on the analysis of the  
5             input data;  
6         (c) analyzing the probable diagnosis in a computer against a desired outcome health-  
7             care knowledge base and associating a desired outcome based on the analysis of the  
8             probable diagnosis;  
9         (d) analyzing the probable diagnosis and desired outcome against an intervention  
10             healthcare knowledge base and associating an intervention based on the analysis of  
11             the probable diagnosis and desired outcome; and  
12         (e) analyzing patient recovery progress relative to desired outcomes.
- 1     8. The method of claim 7, wherein the step of associating an intervention includes the step  
2         of defining for the patient at least one of diagnostic tests, specific treatment, education,  
3         or follow up.
- 1     9. The method of claim 7, wherein each knowledge base incorporates rule-based medical  
2         practice guidelines for enforcing compliance with established medical practice guide-  
3         lines.
- 1     10. The method of claim 7, wherein the step of associating a probable diagnosis includes the  
2         step of determining whether immediate treatments and diagnostic tests for the patient are  
3         necessary, and prompting a medical care giver to provide such necessary treatments and  
4         diagnostic tests.
- 1     11. The method of claim 7, further including the step of creating an electronic record for  
2         each patient concurrent with a patient encounter, the electronic record including the  
3         input data, probable diagnosis, desired outcome, intervention, and actual outcome.



1 12. The method of claim 7, further including the step of providing a computer-implemented  
2 graphical user interface for ease of data entry and display, and accepting entry of  
3 substantially all medical categorizations as selections from pre-defined lists.

1 13. The method of claim 7, further including the steps of:  
2 (a) receiving input data about a patient's health status;  
3 (b) analyzing the input data in a computer against an outcome evaluation healthcare  
4 knowledge base and associating an outcome evaluation based on the analysis of the  
5 input data;  
6 (c) comparing the outcome evaluation to the desired outcome to determine a patient's  
7 intervention progress.



- 1 14. A computer program, stored on a computer-readable medium, for implementing  
2 real-time medical decision support, comprising instructions for causing a computer to:  
3 (a) receive input data about a patient's health status;  
4 (b) analyze the input data in a computer against a problem identification healthcare  
5 knowledge base and associate a probable diagnosis based on the analysis of the  
6 input data;  
7 (c) analyze the probable diagnosis in a computer against a desired outcome healthcare  
8 knowledge base and associate a desired outcome based on the analysis of the  
9 probable diagnosis; and  
10 (d) analyze the probable diagnosis and desired outcome against an intervention health-  
11 care knowledge base and associate an intervention based on the analysis of the  
12 probable diagnosis and desired outcome; and  
13 (e) analyze patient recovery progress relative to desired outcomes.
- 1 15. The computer program of claim 14, wherein the instructions for causing the computer to  
2 associate an intervention includes instructions for causing the computer to define for the  
3 patient at least one of diagnostic tests, specific treatment, education, or follow up.
- 1 16. The computer program of claim 14, wherein each knowledge base incorporates rule-  
2 based medical practice guidelines for enforcing compliance with established medical  
3 practice guidelines.
- 1 17. The computer program of claim 14, wherein the instructions for causing the computer to  
2 associate a probable diagnosis includes instructions for causing the computer to deter-  
3 mine whether immediate treatments and diagnostic tests for the patient are necessary,  
4 and to prompt a medical care giver to provide such necessary treatments and diagnostic  
5 tests.



- 1 18. The computer program of claim 14, further including instructions for causing the  
2 computer to create an electronic record for each patient concurrent with a patient  
3 encounter, the electronic record including the input data, probable diagnosis, desired  
4 outcome, intervention, and actual outcome.
- 1 19. The computer program of claim 14, further including a graphical user interface for ease  
2 of data entry and display.
- 1 20. The computer program of claim 19, further including instructions for causing the  
2 computer to accept entry of substantially all medical categorizations as selections from  
3 pre-defined lists.
- 1 21. The computer program of claim 14, further including instructions for causing the  
2 computer to:  
3 (a) receive input data about a patient's health status;  
4 (b) analyze the input data in a computer against an outcome evaluation healthcare  
5 knowledge base and associate an outcome evaluation based on the analysis of the  
6 input data;  
7 (c) compare the outcome evaluation to the desired outcome to determine a patient's  
8 intervention progress.



- 1 22. The computer program of claim 14, further including instructions for causing the  
2 computer to collect and process patient data from a plurality of sites and consolidate  
3 from such patient data information indicative of any one of:
- 4 (a) a trend analysis of quality of care metrics, for quality of care visibility;
  - 5 (b) evidence of a disease or chemical threat epidemiology in a population;
  - 6 (c) correlations between probable diagnoses, desired outcomes, and patient recovery  
7 progress; or
  - 8 (d) time spent by each provider with each patient, for cost visibility.
- 1 23. The computer program of claim 14, including further instructions for causing the  
2 computer to provide a training mode wherein the input data comprises constructed  
3 patient scenarios rather than data about an actual patient being treated, and the instruc-  
4 tions:
- 5 (a) require a student operator to determine a correct answer at each step of an analysis  
6 process before the student operator is allowed to proceed to a next step in the  
7 analysis process;
  - 8 (b) provide rationale and help screens for interactive learning by the student operator;
  - 9 (c) record student operator attempts and success rates at providing such correct an-  
10 swers; and
  - 11 (d) provide a test phase during which a testing student operator's knowledge is tested.






Figure 1. Care Giving Process




Figure 2. Data Processing System Schematic Block Diagram






Figure 3A Functional Block Diagram




Figure 4. Core Computational Modules of the Invention






Fig. 3B

Likelihood	Urgency	Patient Problem Rules
CONFIRMED	Non-Urgent	Hx Angina – Stable
POSSIBLE	Non-Urgent	Chest Pain is intermittent and relieved by rest
POSSIBLE	Non-Urgent	High CPP and (no probable or confirmed Myocardial Infarction and no confirmed Unstable Angina)
RULED OUT	Non-Urgent	Labs WNL (MB > 4% or CtNt >= 0.19 ng/mL)

FIG. 3C



4/18

Type	Rule	Intervention
Diagnostics	If Conf or Prob and haven't done in 1yr	CBC
Diagnostics	If poss, prob	12 Lead ECG
Diagnostics	If Conf or Prob and haven't done General Chem Panel or Chem 14 Panel in 1yr	Chem Panel
Diagnostics	If Conf or Prob and haven't done in 1yr	CXR

Type	Rule	Intervention
Treatment	If Conf and passed ETT test	Exercise Training Program
Treatment	If Conf and GI Disease	Initiate or Continue Baby ASA
Treatment	If Conf	Initiate or Continue ASA
Treatment	If Conf	Initiate/Increase Dose or Add an Additional Anti-Anginal Agent
Treatment	If conf, prob	NTG

Type	Rule	Intervention	Care Plan String
Education	If Conf, prob, poss	EMS Instruction	
Education	If Conf or Prob, Poss	Warning Signs of Condition	Stable Angina
Education	If conf, prob, poss	Warning Signs of Condition	for MI
Education	If Poss, Prob, Conf.	Family CPR Requirements	
Education	If conf, prob, poss	Warning Signs of Condition	for Unstable Angina

Type	Rule	Intervention	Care Plan String
Follow-Up	If conf	Follow-up Appointment for Stable Angina	in 3 months & as needed & increasing frequency or severity of chest pain

Fig. 3D

PROBLEM	OUTCOMES
Stable Angina	Adequate Cardiac Output Controlled Angina
Tachypnea	Effective Breathing Pattern and Optimal Gas Exchange * Respiratory Rate $\leq 30$
Shortness of breath	Effective Breathing Pattern and Optimal Gas Exchange
Cardiogenic Shock	Adequate Cardiac Output

Fig. 3E






Fig. 5A Hierarchical Structure of Patient Data




Fig. 5B. Representative Patient Tree Root Node and Major Containers




Fig. 6 Vitals Tree Structure



6/18




Figure 7A Data Entry Flowchart



**Select Patient Chart**

<b>List Patients</b> <input type="radio"/> by Name <input type="radio"/> by I.D.	Andrews, Julianne Botzler, Nick Brown, James Chambers, John donna, donna Gabriel, Abigail <b>Haley, Charles</b> Hans, Hanumansingh Home, Les Johnson, Jake Johnson, Ron	<b>Selected Patient Information</b> Patient I.D. 12398 Date of Birth 02/03/30 Sex Female	Add New Patient Edit Patient Info
--	---	---	--------------------------------------

<b>Chief Complaint(s)</b> Abdomen Pulsations Asthma Bleeding Chest Fullness Chest Pain <b>Chest Trauma</b> Cough Dizziness/Syncopal Episode Extremity Pain Fatigue/Weakness Headache Hemoptysis Leg Cramps Nausea, Vomiting Nocturia	<b>Follow Up For</b> Angina Chronic Heart Failure COPD Diabetes Type 1 Diabetes Type 2 Hyperlipidemia Hypertension Hypotension MI Osteoporosis	<b>Chart Start Time/Date</b> Current Time Open Current Chart Review Old Chart Cancel
---	--	--

Fig. 7B

**The CARE System**

Patient    Rapid Scan    Assessment    Care Plan    Dix Tests/Monitors    Help

Patient Name		Chief Complaint		Allergies		Visit Time/Date		CODE	Urgency
Sex	Age	Ht	Weight	Poa	Right BP	Left BP	Pulse	Resp. Rhythm	Temp
Patient ID		Current User							

History	Patient Problems	Status

Physical Exam	Labs/Diagnostic Tests

730

Fig. 7C






Figure 8A Rapid Scan Flowchart



Vital Signs						
Position		Right	Pulse	RR	Temp	Heart Rhythm
<input checked="" type="radio"/> Sitting	SBP / DBP		Rate		F	
<input type="radio"/> Standing						
<input type="radio"/> Lying Down	Left			Weight	Height	Oximetry
	SBP / DBP			lbs.	in.	
When Taken		Notes				
HH:MM	mm/dd/yyyy					
16:24	5/8/1997					
Record		Edit Last		Cancel		Numeric Keys

Fig. 8B

Rapid Scan for Haley, Chaiter			
Physical Exam	Chest Pain	Cardiac Risk	Drug Profile
Breathing - Observation		Abnormal Respiratory Signs	
<input checked="" type="radio"/> Normal <input type="radio"/> Absent <input type="radio"/> Audible Wheezes <input type="radio"/> Labored <input type="radio"/> Retractions <input type="radio"/> SOB with Exertion (DOE) <input type="radio"/> SOB at Rest		<input type="checkbox"/> Auscultated Wheezes <input type="checkbox"/> Breath Sounds Absent <input type="checkbox"/> Pleural Friction Rub <input type="checkbox"/> Rales <input type="checkbox"/> Unequal Expansion	
Abnormal Cardiac Signs		Mentation/Neurological	
<input type="checkbox"/> Murmur <input type="checkbox"/> Pericardial Friction Rub <input type="checkbox"/> S3 <input type="checkbox"/> S4		<input type="checkbox"/> Alert <input type="checkbox"/> Anxious <input type="checkbox"/> Confused <input type="checkbox"/> Generalized Seizure <input type="checkbox"/> Lethargic <input type="checkbox"/> New Onset Motor Deficit <input type="checkbox"/> New Onset Sensory Deficit <input type="checkbox"/> New Onset Aphasia <input type="checkbox"/> Unconscious	
		Airway	
		Circulation	
		Skin Hydration	
		Peripheral Skin	
		Other	
		<input type="checkbox"/> Abdominal Rigidity <input type="checkbox"/> Chest Wall Tenderness <input type="checkbox"/> Cough, Hemoptysis <input type="checkbox"/> Cough, Non-productive <input type="checkbox"/> Cough, Productive <input type="checkbox"/> Nausea/Vomiting	
<input type="button" value="Cancel"/>			
<input type="button" value="Done"/>			

Fig. 8C



**Rapid Scan for Mr. Charles**

Physical Exam	Chest Pain	Cardiac Risk	Drug Profile
<b>Precipitated/Exacerbated By</b> Altitude At Rest Caffeine Cold Environment Deep Breathing/Cough Direct Pressure to Chest Wall Eating Emotional Stress Exertion Lying Down Movement Swallowing Prolonged Sitting	<b>Location</b> Atypical/Low Neck/Arm/Back Epigastric Left Anterior Chest Left Lateral Chest Precordial Radiating Right Anterior Chest Right Lateral Chest Substernal Variable/Traveling	<b>Duration of this Episode</b> Onset Intensity at Onset Current Intensity Pattern Nocturnal	<b>Relieved By</b> NSAIDs Antacids/Food Heat/Ice Nitroglycerin None Attempted Nothing Rest Sedation Sitting Upright
<b>Character</b> Aching Burning Cannot Describe Crushing Dull Pressure/Heaviness Sharp/Stabbing Shooting Squeezing Tearing Sensation Tightness			

Cancel Done

Fig. 8D

**Rapid Scan for Haley, Charles**

Physical Exam	Chest Pain	Cardiac Risk	Drug Profile
<b>Cardiac Risk Factors</b> Coronary Artery Disease Diabetes Mellitus Family Cardiac History Female, Post Menopausal Hyperlipidemia Hypertension Left Heart Failure Right Heart Failure Male, Age > 35 MI Mitral Valve Prolapse Obesity	<b>Recent Problems</b> Cardiac Arrest Esophageal or Gastric Disease High Impact Chest Wall Trauma Infectious Disease Low Impact Chest Wall Trauma Long Bone Fracture Phlebitis Pulmonary Embolism Respiratory Arrest Strenuous Physical Activity		

Cancel Done

Fig. 8E



11/18




Figure 9A Assessment Flowchart



**Patient History for Haley, Charles**

Type of Allergy	Allergic to	What Happens
Environmental	Wool	Hives
Medication	Codeine	Hives

☐ No Known Allergies

F-1909B

**Patient History for Haley, Charles**

Medication	Dose	Frequency	Last Taken	When Started	As Prescribed	Indication
Lorazepam	100 mg	Q4h			Unknown	Antianxiety
Advil	100 mg	BID			Unknown	Analgesic/Anti-inflam.

☐ Generic Medication (Include OTC)
 ☐ Trade

☐ When Last Taken
 ☐ How Long Ago
 ☐ Taken For How Long
 ☐ As Prescribed
 ☐ Non-Compliance

☐ Today

☐ All Meds Verified

Fig-9C



Patient History for Haley, Charles

Allergies	Drug Profile	PMH	PMH 2	PMH 3	PMH 4	Psy/Soc	Psy/Soc 2
<div>Cardiovascular</div> <div>           Aortic Aneurysm            Aortic Stenosis            Accessory Pathway            Atrial Fibrillation            Cardogenic Shock            Coronary Artery Disease            Dysrhythmia         </div>							
<div>Pulmonary</div> <div>           No Problems            COPD/Asthma            Emphysema            Pleurisy            Pneumonia            Pulmonary Embolism            Respiratory Arrest            Recurrent URI's            Sleep Apnea/Disorders            TB            Other Problems         </div>							
<div>Neurological</div> <div>           No Problems            Amnesia/Fugue            Alzheimer Disease            Epilepsy            CVA/Stroke            Headaches            Multiple Sclerosis            Parkinsonism            Seizures            TIA            Other Problems         </div>							
<div>Peripheral Vascular</div> <div>           No Problems            DVT            Peripheral Vascular Disease            Phlebitis            Diabetic Foot Problems            Other Problems         </div>							
<div>Renal/Urinary</div> <div>           No Problems / Normal Urine Output            Benign Prostatic Hyperplasia            Kidney Disease            Nephropathy            Neurogenic Bladder            Prostatic Cancer            Pyelonephritis            Renal Failure            Renal Insufficiency            Urinary Device         </div>							
<div>Gastrointestinal</div> <div>           No Problems            Alcoholic Liver Disease            Cirrhosis            Crohn's Disease            Diverticulitis            Gallbladder Disease            Gastritis            Gastroesophageal Reflux            Hiatal Hernia            Hepatitis         </div>							

922 920 924 922 920

Close

Fig. 9D

Patient History for Haley, Charles

Allergies	Drug Profile	PMH	PMH 2	PMH 3	PMH 4	Psy/Soc	Psy/Soc 2
<div>General</div> <div>           Chronic Fatigue Syndrome            Obesity            Other Problems         </div>							
<div>Difficulty with ADLs</div> <div>           None            Bathing            Dressing            Feeding Self            Housekeeping            Laundry            Occupational Activities            Recreational Activities            Shopping            Social Activities            Toileting            Transfers         </div>							
<div>Lifestyle</div> <div>           No Problems            Alcohol Use            Drug Abuse            Recreation            Sedentary            Tobacco Use            Other Problems         </div>							
<div>Immunizations</div> <div>           Tetanus/Diphtheria            Immune Globulin (IGG)            Influenza            Hepatitis A            Hepatitis B            Hib            Measles            Mumps            Pertussis            Pneumonia            Polio            Rubella            Varicella         </div>							
<div>Exercise/Activity</div> <div>           Aerobic Activity            Isometric Exercise            Exercise Intolerance            No Exercise Program            Prolonged Bed Rest            Stress Intolerance         </div>							
<div>Interpersonal Relationships</div> <div>           Religious Support            Coping Skills            Support System         </div>							

Close

Fig. 9E



**Patient Care Plan for Haley, Charles**

Patient Problems		Interventions	Outcomes
Status	Likelihood	SLT	
Potential	Possible	Immed	Hypotension
Potential	Probable		Inadequate Cardiac Perfusion
Potential	Confirmed		Tobacco Use
Potential	Possible		Hypertension
Confirmed	Possible		Electrolyte Imbalance
Potential	Possible		Exercise Intolerance
Potential	Confirmed		Risk for Cardiac Disease
	Possible		Hypovolemia
	Confirmed	Immed	Bradycardia

**Filter Problems**

- ☐ STAT/Immediate
- ☒ Confirmed
- ☒ Probable
- ☒ Possible
- ☐ Potential
- ☐ Controlled
- ☐ Ruled Out
- ☐ Resolved

**Status** **Time** **Current** **Selected Problem**

**Notes** **Revisions** **Print** **Replace Item**

**Done**

Fig 9F

**Patient Care Plan for Haley, Charles**

Patient Problems		Interventions	Outcomes
Status	Time	Current	Selected Intervention
Done	16:32 03/24/97	Stat	Assess for Causes of Hypotension
Ordered	12:46 03/31/97	Immed	Check Peripheral Pulses
		Immed	Assess Use of Cardiac Medications to Determine Improper Use
		Immed	Check Serum Drug Level
		Immed	* 12 Lead ECG
			Exercise Treadmill Test
			* Assess Motivation, Prior Attempts and Barriers to Smoking Cessation
			Fasting Lipid Panel
			Recheck BP

**Show Interventions for:** **Type of Intervention:** ☐ STAT/Immediate Only

**Status** **Time** **Current** **Selected Intervention**

**Notes** **Revisions** **Print** **Add Intervention** **Replace Item**

**Done**

Fig. 9G



**Patient Care Plan for Waley, Charles**

Patient Problems | Interventions | Outcomes |

Status Time ☐ STAT/Immediate Care

Deteriorated	16:31 03/24/97	Elimination of Modifiable Cardiac Risk Factors
Deteriorated	16:31 03/24/97	No Tobacco Use
		Adequate Fluid Balance
		Adequate Urinary Elimination
		Electrolytes Within Normal Limits
		Effective Cardiac Tissue Perfusion
		Adequate Cardiac Output
		Heart Rate >= 50

Status Time Current Selected Outcome

Fig. 9H






Figure 10 <sup>A</sup> Diagnostic Test Flowchart



[illegible]

Fig 10B

ECG	ECG Monitor	Drugs
<b>Sinus Rhythm/Rate</b>	<b>Ventricular Rhythm/Rate</b>	<b>ECG Interpretation</b>
Regular Sinus Rhythm	V Fib	Ischemia
Ayristole	V Tach	MI
Sinus Arrhythmia	Idioventricular	LV Hypertrophy
<b>ECG</b>	<b>Idioventricular</b>	<b>ECG Interpretation</b>
S Tach	Ventricular Ectopy	Pericarditis
Paced		PVC
		Inappropriate Sensing
		Loss of Capture
<b>Atrial Rhythm/Rate</b>	<b>Findings</b>	<b>Junctional Rhythm/Rate</b>
A Fib	P Wave Buried in QRS	
A Flutter	New Onset Q Wave	
<b>ECG</b>	Delta Wave in QRS	Bundle Branch Block
Ectopy	A Wave Amplitude Decreased	
	Poor R Wave Progression	
	ST Depression	
	ST Elevation	Other
	ST Slurred Nonspecific	
	Reciprocal Changes	
	T Wave Depressed	
	T Wave Inverted	
	T Wave Peaked	

Fig. 10C



**Dr Tests for Haley, Charles**

Lab | ECG | ECG Monitor | **Dr Tests**

**Sinus Rhythm/Rate**

Regular  
Aristole  
**Sin**  
S Brady  
S Tach  
Paced

**Blocks**

AV Block Fascicle  
AV Block Intra-ventricular  
**Post Bundle Branch Block**  
Left Bundle Branch Block

**Ectopy**

Atrial  
Junctional  
Ventricular  
Unknown

**Atrial Rhythm/Rate**

A Fb  
**A Fibr**  
A Tach

**Ventricular Rhythm/Rate**

V Fb  
**V Fibr**  
Torsades de Pointes

**Junctional Rhythm/Rate**

Junctional Tach  
Other Rhythm  
Accessory WPW  
ECG Monitor Interpretation  
Ischemia

Done

Fig. 10D

**Dr Tests for Haley, Charles**

Lab | ECG | ECG Monitor | **Dr Tests**

**Echo Interpretation**

Normal Aortic  
Aortic Aneurysm  
Ejection Fraction  
LV Akinesis  
LV Hypertrophy  
LV Hypokinesis  
RV Akinesis  
RV Hypertrophy  
RV Hypokinesis  
Diskinesis  
Pericardial Effusion

**Chest X-Ray Interpretation**

Negative  
Enlarged Heart  
Infiltrates  
Pulmonary Edema / Congestion  
Pericardial Effusion  
Widened Mediastinum

**ETT**

**Dr Test Dates**

Done

Fig. 10E



(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau




(43) International Publication Date  
20 July 2000 (20.07.2000)

PCT

(10) International Publication Number  
WO 00/41613 A3

- (51) International Patent Classification<sup>7</sup>: G06N 5/00, 5/02, 5/04 (74) Agent: LAND, John; Fish & Richardson P.C., Suite 1400, 4225 Executive Square, La Jolla, CA 92037 (US).
- (21) International Application Number: PCT/US00/00908 (81) Designated States (*national*): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW.
- (22) International Filing Date: 13 January 2000 (13.01.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
- |            |                              |    |
|------------|------------------------------|----|
| 60/115,948 | 14 January 1999 (14.01.1999) | US |
| 60/115,914 | 14 January 1999 (14.01.1999) | US |
| 09/481,718 | 12 January 2000 (12.01.2000) | US |
| 09/481,953 | 12 January 2000 (12.01.2000) | US |
| 09/482,972 | 12 January 2000 (12.01.2000) | US |
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- (71) Applicant: POINT LOMA INDUSTRIES, INC. [US/US]; Suite 495, 9820 Willow Creek Road, San Diego, CA 92131 (US).
- Published:  
— With international search report.
- (72) Inventors: BUCHANAN, Leonard, F.; 811 Jennings Place, San Diego, CA 92106 (US). ANDRADE, Ernesto, P.; 1872 Bexley Landing, San Jose, CA 95132 (US). CHRISTENSEN, James, L.; 1269 Via Conejo, Escondido, CA 92029 (US). HUDDLESTON, Donna, R.; 3958 La Cresta Drive, San Diego, CA 92107 (US).
- (88) Date of publication of the international search report:  
25 January 2001
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: EXPERT SYSTEM FOR REAL-TIME DECISION SUPPORT



(57) Abstract: An expert system for real-time decision support, and more particularly a computerized system (124) for performing individual point of care diagnostics and treatment using expert decision making processes. The invention also includes an expert system (104) for data entry and processing that provides real-time decision support and an electronic record of an individual interview. The invention is particularly well suited to the medical industry.

WO 00/41613 A3



## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US00/00908

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : G06N 5/00, 5/02, 5/04

US CL : 706/45

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 706/45

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

STN, EAST, Internet

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5,809,492 A (MURRAY et al.) 15 September 1998, col. 13, lines 1-22.	1, 3-7, 11-14, 16, 19-20



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*E* earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*Z* document member of the same patent family
*U* document referring to an oral disclosure, use, exhibition or other means	
*P* document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

12 JULY 2000

Date of mailing of the international search report

02 OCT 2000

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

WILBERT L. ST *James R. Matthews*

Telephone No. (703) 308-9700



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

---

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**